



PLANET
LIGHTING

DATASHEET

ULEDPlus EXAMINATION LIGHT

ULEDPlus shares the same reliable ULED design but gives you approximately 30% more bright light output. See more with an impressive 50,000+ lux @ 1 metre.

Like ULED, ULEDPlus has an ingenious floating spring arm, enabling intuitive and perfect light positioning. It comes complete with a fully sealed and touch sensitive membrane switch, making cleaning easy and its push-to-release button to detach the light head from the arm makes upgrade or maintenance possible without a technician.



ULEDPlus

APPLICATIONS

Surgeries
First Aid Stations
Intensive Care
Recovery Rooms
Emergency Departments
Diagnostic Specialisations
Aged Care
General Practice



ANTIMICROBIAL
SILVER ION
TECHNOLOGY



MULTI
APPLICATION



MADE IN
AUSTRALIA



CEILING



WALL



EXT. WALL



TROLLEY



ANTI
GLARE



HIGH
EFFICIENCY



5
YEAR
WARRANTY

GENERAL SPECIFICATIONS

POWER CONSUMPTION
20 WATTS

LIGHT OUTPUT
Powerful 50,000+ lux @ 1 metre with cool running LED technology

EFFICIENCY
85lm/W

CRI
95 +

COLOUR
4000K CCT

MATERIAL
Aluminium

LIFETIME DATA
>50000 hrs

PRODUCTS HIGHLIGHTS

- Powerful and cool-to-touch LED light
- High visibility: High CRI; and 4000K plus Cyanosis Compliant
- Low power consumption at only 14 Watts Total
- Low-profile, Easy-clean head with ON/OFF, dimming control, plus push-to-release for easy removal and maintenance
- Affordable, retrofit kit option* for easy upgrade to ULED
- Durable all metal construction
- Antimicrobial coating

*Available with equivalent existing Planet Lighting fittings only



TOUCH MEMBRANE SWITCH

STAY SAFE

ULEDPlus touch membrane switch gives quick access to ON/OFF and 4 stage dimming control. And with its easy-wipe and IP65-rated head, superior infection control has never been easier.




DESIGNED AND MADE IN AUSTRALIA

ULEDPlus is the proud result of over 50 years of Australian research and development in medical lighting. Phantom is designed and manufactured entirely in Australia and built to meet Australian standards and testing.

Questions?
We're here to help!
sales@planetlighting.com
(02) 6659 5600



RANGE OF MOVEMENT STANDARD CEILING



*See Range of Movement document for details



QUICK-RELEASE HEAD

ULED's unique push-to-release detachable head designed for easy upgrade and replacement when needed.

CEILING MOUNT

Ceiling mount with integral power supply and Continuous Rotation Device (CRD) head.




INTUITIVE CONTROL

ULEDPlus has an ergonomic and ultra-flexible arm action makes perfect positioning a breeze.



TROLLEY MOUNT



WALL MOUNT



EXTENDED WALL MOUNT



LEDPLUS EXAMINATION LIGHT



Cardiac protection models available: Add "CP" to product code.

Example: ULEDPLUS-UC2700-CP

PRODUCT CODE	DESCRIPTION	POWER
ULEDPLUS-UC (or custom length: ULEDPLUS-UCXXXX)	Ceiling mount to suit a standard floor to ceiling fixing point of 2700mm, or specified custom mount length [XXXX]mm, with integral transformer	20W
ULEDPLUS-UW	Wall mount with integral transformer	20W
ULEDPLUS-UWEX	Wall mount with extended bracket and integral transformer	20W
ULEDPLUS-UTLY	Mobile trolley including integral transformer	20W



PLANET
LIGHTING